

Appliances.



Commercial Goods
Consumer Goods



Commercial Goods

From hospitality applications to catering and retail equipment, we have a broad portfolio of connectivity solutions and user interface components to help engineers design new, innovative appliances and goods for commercial use.

Applications

- Rotisserie Ovens
- Vending Machines
- Kitchen Climate Control System
- Food & Drink Cleaning Machines
- Air Compressor
- Awning Motors
- Electric Insect Control Device
- Commercial Coffee Machines
- Champagne Dispensing Machines
- Commercial Freezers
- Commercial Kitchen Grills

Product Lines

Rocker Switches



- Ratings from 10A, 250Vac - 20A, 277Vac
- Push-on, solder & PCB terminals
- Splash resistant & antimicrobial options
- Illuminated & Non-Illuminated options
- Large choice of bezel styles & sizes, panel cut-outs, actuators & switching circuits

Vandal Resistant Switches



- High resistance to wear & tear, corrosion & harsh use
- Domed, low & prominent profiles
- IP66 & IP68 sealing versions
- Illuminated & non-illuminated options
- Front & rear panel mount versions

Piezo Switches



- Extremely robust: resistant to dust, dirt, chemicals, water & contaminants
- Sealed to IP68 & IP69K
- 16, 19 or 22mm diameter
- Millions of cycles/actuations
- Illuminated & non-illuminated options

IEC Connectors



- IEC Connectors, Inlets & Outlets
- Conforming to IEC & EN 60320 Standards
- C13, C14, C15, C16, C18, C19 & C20 as well as Sheet E, F, H, I & J types available
- Variety of mounting styles & terminations
- UL, CSA, VDE & CE approved versions

Mini Series Power



- Ratings up to 10A, 380V ac
- 2, 3, 4, 6 or 8 contacts
- IP67 & IP68 protection
- Plug & receptacle connectors
- UL approved, compact design

Battery Holders



- AAA, AA, C, D & PP3 battery sizes
- Accommodating 1, 2, 3 or 4 cells
- IP67 sealed versions
- Suitable for PCB mounting
- Panel mounting versions

Refrigerator Door Switches



- Door switches
- Switch rating from 0.2A, 250Vac up to 5A, 250Vac
- Splash resistant variants
- Choice of actuators
- Momentary on & momentary off switching



Consumer Goods

The modern day home is filled with many consumer electronics and devices that require reliable electronic components.

With smart homes becoming increasingly connected along with the growth of the consumer electronics market, our range of power connection and switch solutions are perfect for meeting the needs of many small or large domestic appliances including brown and white goods as well as outdoor gardening equipment.

Applications

Popcorn Machine
Mini Drinks Cooler
Professional Hairdryer
Cooker Oven
Vacuum Cleaner
High End Jacuzzi
Portable Alarm Systems
Coffee Machines
Food Mixer
Chest Freezer
Amplifiers

Product Lines

Rocker Switches



- Ratings from 10A, 250Vac - 20A, 277Vac
- Push-on, solder & PCB terminals
- Splash resistant & antimicrobial options
- Illuminated & Non-Illuminated options
- Large choice of bezel styles & sizes, panel cut-outs, actuators & switching circuits

Vandal Resistant Switches



- High resistance to wear & tear, corrosion & harsh use
- Domed, low & prominent profiles
- IP66 & IP68 sealing versions
- Illuminated & non-illuminated options
- Front & rear panel mount versions

IEC Connectors



- IEC Connectors, Inlets & Outlets
- Conforming to IEC & EN 60320 Standards
- C13, C14, C15, C16, C18, C19 & C20 as well as Sheet E, F, H, I & J types available
- Variety of mounting styles & terminations
- UL, CSA, VDE & CE approved versions

Push Buttons



- Miniature, round, rectangular & vandal options available
- Domed, low & prominent profiles
- IP66, IP67 & IP68 sealed versions
- Illuminated & non-illuminated options
- Front & rear panel mounted versions

400 Series Power



- Ratings up to 8A, 250V ac/dc
- 2, 3, 4, 6, 8, 10 & 12 contacts
- IP66, IP67, IP68 & IP69K protection
- Pin or socket, screw thread locking
- CE, UL, CSA & VDE approvals

Refrigerator Door Switches



- Door switches
- Switch rating from 0.2A, 250Vac up to 5A, 250Vac
- Splash resistant variants
- Choice of actuators
- Momentary on & momentary off switching