

# BZM42/A1020/68/D Datasheet

**Product Name // Horizontal Power Entry Module Mini**


**Bezel 48.5mm C14 Cold Condition Inlet (PX0575) 4.8mm Tab**

**Termination 3mm Panel A1020 Filter (10A PS01/A L/C v2)**

**Double Contact Small High Inrush 4.8mm Tab Switch**

**Marked I/O**

 [View Product Page](#)



Panel Thickness 1.0, 1.5, 2.0, 3.0mm

BZM27/\*\*\*\*\*/\*\*\* } A = 63.5 With Filter.  
 BZM28/\*\*\*\*\*/\*\*\* } A = 29.1 Without Filter.

B = 54.9 With D.P. Switch. 45.9 With S.P. Switch.  
 C = 57.5 With D.P. Switch. 48.5 With S.P. Switch.

## // Product Description:

- ⊕ Horizontal Power Entry Module Mini Bezel 57.5mm/48.5mm
- ⊕ C14 Cold Condition Inlet (PX0575)
- ⊕ Choice of Termination depending on part code:
- ⊕ Part codes prefixed BZM27: 6.3mm Tab
- ⊕ Part codes prefixed BZM42: 4.8mm Tab
- ⊕ Part codes prefixed BZM28: 2.8mm Tab
- ⊕ Choice of mains filter depending on part code:
- ⊕ Part codes containing /Z0000 are unfiltered
- ⊕ Choice of mains filter options (part codes containing codes starting /A)
- ⊕ Choice of other options as specified by individual part code, including switches with varying Terminations, indicators

## // General Information:

Product Display Title:	Horizontal Power Entry Module Mini Bezel 57.5mm/48.5mm
Product Family:	IEC Connectors
Product Series:	Power Entry Modules
Current Max:	10A
Filter Type:	10A PS01/A L/C v2
Function:	C14 Inlets
iec Connector Components:	None
iec Connector Mates With:	PX0575
iec Filter Options:	A1020
iec Horizontal Module Width:	48.5mm
Inlet Type:	C14 Cold Condition Inlet
Max Panel Thickness:	3mm
Min Panel Thickness:	3mm
Switch Type:	Double Contact Small High Inrush 4.8mm Tab Marked I/O
Voltage Max:	250V

### // Product PDF Links

 [Power Entry Modules product data](#)

### // Product 3D CAD Model Links

 [BZM42/A1020/68/D3D CAD Model](#)