


PX0010S04GY Datasheet

Product Name // 4 Contacts Male Miniature Rectangular Grey Connector

[View Product Page](#)



// Product Description:

- ⊕ 4 Contacts Male Miniature Rectangular Grey Connector
- ⊕ Protective End Cap (PEC) Available
- ⊕ IP68 rated when mated
- ⊕ Mate with PX0011 Series
- ⊕ Wedge locks provided
- ⊕ Crimp Terminals
- ⊕ Mechanical Cycles = 100 (min)
- ⊕ Operating Temperature = -55°C to +125°C

// General Information:

<p>Product Display Title:</p> <p>Product Family:</p> <p>Product Series:</p> <p>Body Colour:</p> <p>Body Material:</p> <p>Body Material Type:</p> <p>Contact Type:</p> <p>Coupling Type:</p> <p>Current Max:</p> <p>Dielectric Withstanding Voltage:</p> <p>Durability:</p> <p>Function:</p> <p>Insulation Resistance:</p> <p>Ip Rating:</p> <p>Max Operating Temperature:</p> <p>Min Operating Temperature:</p> <p>Number Of Contacts:</p> <p>Rohs Compliant:</p> <p>Voltage Max:</p>	<p>4 Contacts Male Miniature Rectangular Grey Connector</p> <p>Rectangular Connectors</p> <p>Miniature Rectangular Connectors</p> <p>Grey</p> <p>Polycarbonate/Polybutylene Terephthalate (PC/PBT)</p> <p>Plastic Body</p> <p>Socket Contact</p> <p>Snap-in</p> <p>7.5A</p> <p>1500V</p> <p>>100 Cycles</p> <p>Straight Male Connector</p> <p>>1000MOhms</p> <p>IP68</p> <p>+125°C</p> <p>-55°C</p> <p>4 Contacts</p> <p>Yes</p> <p>250V</p>
--	--

// Product PDF Links

[Rectangular Connector Datasheet](#)

// Product 3D CAD Model Links

[PX0010S04GY3D CAD Model](#)