
## RF185A2JEGA Datasheet



## Product Name // 1.85mm Jack Straight 2 Hole Flange RF Connector







## // Product Description:

- O 1.85mm Jack Straight 2 Hole Flange RF Connector
- 0 Maximum Voltage: 150V
- 0 Temperature range: -40°C to +85°C
- 0 Frecuency range: 0GHz - 65GHz
- 0 VSWR: <1.30

- Ò Dielectric withstanding Voltage: >500V
- 0 Impedance: 500hm
- 0 Body Material: Stainless Steel Passivation
- Contact Material: Beryllium Copper

## // General Information:

**Product Display Title: Product Family:** 

**Product Series:** Body Length:

**Body Material:** 

Centre Contact Retention Force: Contact Pin Material:

Min Coupling Torque: Max Coupling Torque:

Dielectric Withstanding Voltage:

**Durability:** 

Flange Mount Length:

Function: Impedance:

Insulation Resistance:

Insulator:

Vswr:

Max Operating Temperature: Min Operating Temperature: Mount Hole Distance: Min Operating Frequency: Max Operating Frequency: Socket Diameter: Voltage Max:

1.85mm Jack Straight 2 Hole Flange

Radio Frequency Connectors

1.85mm Series

11.30mm

Stainless Steel Passivation

>20N

Beryllium Copper

0.80Nm 1.10Nm

>500V >500 cycles

15.80mm

Female Flange Mount RF Connector

50Ohm >5000MOhm **ULTEM 1000** +85°C

-40°C 12.20mm 0GHz 65GHz 0.23mm 150V

<1.30

// Product PDF Links

1.85mm Series Product Datasheet

// Product 3D CAD Model Links

RF185A2JEGA3D CAD Model