
RF185A2JEGB Datasheet



Product Name // 1.85mm Jack Straight 2 Hole Flange RF

View Product Page

Connector



// Product Description:

- O 1.85mm Jack Straight 2 Hole Flange RF Connector
- O Maximum Voltage: 150V
- O Temperature range: -40°C to +85°C
- O Frecuency range: 0GHz 65GHz
- O VSWR:

- O Dielectric withstanding Voltage: >500V
- O Impedance: 500hm
- O Body Material: Stainless Steel Passivation
- O Contact Material: Beryllium Copper

// General Information:

Product Display Title: Product Family: Product Series: Body Length: **Body Material:** Centre Contact Retention Force: Contact Pin Material: Min Coupling Torque: Max Coupling Torque: **Dielectric Withstanding Voltage:** Durability: Flange Mount Length: Function: Impedance: Insulation Resistance: Insulator: Max Operating Temperature: Min Operating Temperature: Mount Hole Distance: Min Operating Frequency: Max Operating Frequency: Socket Diameter: Voltage Max: Vswr:

1.85mm Jack Straight 2 Hole Flange **Radio Frequency Connectors** 1.85mm Series 11.30mm Stainless Steel Passivation >20N Beryllium Copper 0.80Nm 1.10Nm >500V >500 cycles 15.80mm Female Flange Mount RF Connector 50Ohm >5000MOhm **ULTEM 1000** +85°C -40°C 12.20mm 0GHz 65GHz 0.30mm 150V <1.30

// Product PDF Links

1.85mm Series Product Datasheet

// Product 3D CAD Model Links

RF185A2JEGB3D CAD Model