# **RF185A4JCCB Datasheet**




# Product Name // 1.85mm Jack Straight 4 Hole Flange RF Connector



#### \* Representative product image only





## // Product Description:

- O 1.85mm Jack Straight 4 Hole Flange RF Connector
- 0 Maximum Voltage: 150V
- 0 Temperature range: -40°C to +85°C
- 0 Frecuency range: 0GHz - 65GHz
- 0 VSWR:

- Ò Dielectric withstanding Voltage: >500V
- 0 Impedance: 500hm
- 0 Body Material: Stainless Steel Passivation
- Contact Material: Beryllium Copper

### // General Information:

**Product Display Title:** 

**Product Family:** 

**Product Series:** Body Length:

**Body Material:** 

Centre Contact Retention Force: Contact Pin Material:

Min Coupling Torque:

Max Coupling Torque:

Dielectric Withstanding Voltage:

**Durability:** 

Flange Mount Length:

Function: Impedance:

Insulation Resistance:

Insulator:

Max Operating Temperature: Min Operating Temperature: Mount Hole Distance: Min Operating Frequency: Max Operating Frequency: Socket Diameter:

Voltage Max: Vswr:

1.85mm Jack Straight 2 Hole Flange

Radio Frequency Connectors

1.85mm Series

11.30mm

Stainless Steel Passivation

>20N

Beryllium Copper

0.80Nm

1.10Nm >500V

>500 cycles

12.70mm

Female Flange Mount RF Connector

50Ohm

>5000MOhm

**ULTEM 1000** 

+85°C -40°C

8.60mm

0GHz

65GHz

0.30mm 150V

<1.30

### // Product PDF Links



1.85mm Series Product Datasheet

#### // Product 3D CAD Model Links



RF185A4JCCB3D CAD Model